

Risk Assessment Report

| | | | |
|-----------------------------|-------------------------|------------------------|-------------------------|
| Title | Risking two | Document Number | APR-AHE-EHS-HIRA-25 |
| Department | PWD | Site Name | Ahemdabad |
| Risk Assessment Type | TTK - HIRA | Status | Submitted |
| Next Revision Date | NA | Revision Number | NA |
| Created By | Rajkumar Pativada | Created On | 15-Oct-2025 03:22:15 PM |
| Modified On | 15-Oct-2025 05:52:37 PM | | |

Sections

Activity: RiskAct1 (Type:)

Sub-Activity: RiskAct2 (Type:)

Section: HAZARD IDENTIFICATION

| | | | |
|--|--|---|---|
| Hazard Explanation: NA | Routine/Non-Routine: <input type="checkbox"/> | Mechanical Hazard <input checked="" type="checkbox"/> | Physical Hazard <input checked="" type="checkbox"/> |
| Biological Hazard <input type="checkbox"/> | Ergonomic Hazard <input type="checkbox"/> | Chemical Hazard <input checked="" type="checkbox"/> | Any Other Hazard <input type="checkbox"/> |

History

| Created On | Created By | Comment | Attachments |
|-------------------------|-------------------|---|--------------------|
| 15-Oct-2025 04:26:04 PM | Rajkumar Pativada | Value has been updated to '25' Value has been updated to '1' Value has been updated to '1' | |
| 15-Oct-2025 03:22:16 PM | Rajkumar Pativada | A new record was created: Site Name set to 'Ahemdabad' Hira Type set to 'TTK - HIRA' Hira Name set to 'Risking two' Department Name set to 'PWD' Hira Status set to 'Submitted' | |