

Risk Assessment Report

Risk Assessment UID	H/APS/Hi&/26/00007	Site Name	Avali, Grava Residences, Apas, Grava, MH99, Nishada, Precast Plant, Raka, Sayuk, Tridasa, Bommera, Casting Testing Site, VR Site, Simanchal, atdtachment Debraj 2
Risk Assessment Name	Hazard Identification & Risk Assessment (HIRA)	Status	Publish
Next Revision Date	NA	Revision Number	47.0
Created By	Rajkumar Pativada	Created On	11-Mar-2026 02:49:29 PM
Approved By Name	NA	Published Date	11-Mar-2026 08:19:29 PM

Activity: Hazard Identification & Risk Assessment (HIRA)

HAZARD IDENTIFICATION

Hazard Explanation	NA
Routine/Non-Routine	NA

Hazards Involved

Mechanical Hazard	Unchecked
Physical Hazard	Unchecked
Biological hazard	Unchecked
Any Other hazard	Unchecked
Any Other hazard:	

Risk Analysis

Risk Priority	Low
Control Measures Required, What further controls/ actions required to mitigate risk levels	ss
Additional control Measures(IF Required)	d

Residual risk analysis

Risk Priority	Low
----------------------	-----

opportunities

Opportunities	NA
Remarks	NA

Hazards Involved

Mechanical Hazard	Unchecked
Physical Hazard	Unchecked
Biological hazard	Unchecked
Any Other hazard	Unchecked
any other	

Risk Analysis

Risk Priority	Low
Control Measures Required, What further controls/ actions required to mitigate risk levels	NA
Additional control Measures(IF Required)	NA

Residual risk analysis

Risk Priority	Low
----------------------	-----

opportunities

Opportunities	NA
Remarks	NA

History

Created On	Created By	Comment	Attachments
12-Mar-2026 03:44:40 AM	Rajkumar Pativada	Hira Status has been updated to 'Publish' publ	
12-Mar-2026 03:41:55 AM	gopi krishna krishna	submitted	
11-Mar-2026 02:59:45 PM	gopi krishna krishna	submit	
11-Mar-2026 02:58:37 PM	Rajkumar Pativada	comments	
11-Mar-2026 02:57:17 PM	gopi krishna krishna	comments	
11-Mar-2026 02:49:29 PM	Rajkumar Pativada	A new record was created: Hira Type set to 'Hazard Identification & Risk Assessment (HIRA)' Hira Status set to 'Submit' Revision Number set to '47'	