



Inspection Report - AQI (Inspection UID - I/APR/APA/AAA/25/00001)

Inspection Information

|                   |          |                  |                |
|-------------------|----------|------------------|----------------|
| Inspection Name   | air test | Inspection Type  | AQI            |
| Inspection Status | Verified | Site Name        | Aparna Sarovar |
| Asset             | NA       | Non Oqsha Assets | Pen, Notebook  |

Sections

Attachments

| Type  | Value |
|-------|-------|
| Audio | NA    |
| Video | NA    |

HIRA

Assets

Training

Attendance

Notifications

Heatmap

Reports

Companies

Organisations

Sites

HIRA

Users

15:20 OQSHA - Security and Safety | Rapid Reporting and Resolution of tickets - Google Chrome https://pinestem.com... Airdopes 28

qa-staging.oqsha.com/#hira/list

OQSHA

QUALITY & SAFETY

MOC

PPE Issuance

Companies

Attendance

Heatmap

Reports

Organisations

Sites

HIRA

Users

Assets

Roles

Training

Setup

Appointments

Notifications

Support

Library

HIRA

NOTE: All times in the portal are displayed in local time zone

Show10entries

| HIRA UID               | HIRA name                   | Site            | HIRA type                                    | Tasks associated | Created on              |
|------------------------|-----------------------------|-----------------|----------------------------------------------|------------------|-------------------------|
| H/APR/BAN/Hi&/25/00001 | testing with attachments    | Bandra          | Hazard Identification & Risk Assessment      | 0                | 03-Jun-2025 06:17:49 PM |
| H/APR/APS/OH&/25/00002 | A new hira 99               | Aparna New Site | OCCUPATIONAL HEALTH & SAFETY RISK ASSESSMENT | 0                | 31-May-2025 12:06:57 AM |
| H/APR/APS/OH&/25/00001 | Hitesh test hira for status | Aparna New Site | OCCUPATIONAL HEALTH & SAFETY RISK ASSESSMENT | 0                | 31-May-2025 12:06:12 AM |
| H/APR/APS/Hi&/25/00005 | Testing 123                 | Aparna New Site | Hazard Identification & Risk Assessment      | 0                | 03-Jun-2025 03:23:17 PM |
| H/APR/APS/Hi&/25/00004 | A new hira0009              | Aparna New Site | Hazard Identification & Risk Assessment      | 0                | 02-Jun-2025 12:2 PM     |
| H/APR/APS/Hi&/25/00003 | A new hira 912              | Aparna New Site | Hazard Identification & Risk Assessment      | 0                | 02-Jun-2025 12:18:50 PM |
| H/APR/APS/Hi&/25/00002 | Hitesh test hira bug        | Aparna New Site | Hazard Identification & Risk Assessment      | 0                | 30-May-2025 11:26:40 PM |
| H/APR/APS/Hi&/25/00001 | Hira Safety                 | Aparna New Site | Hazard Identification & Risk Assessment      | 0                | 30-May-2025 03:58:02 PM |
| H/APR/APA/Hi&/25/00001 | Dummy hira 2                | Aparna Sarovar  | Hazard Identification & Risk Assessment      | 0                | 03-Jun-2025 06:27:26 PM |
| H/APR/ABD/OH&/25/00001 | Laptop safety               | ABDGYG          | OCCUPATIONAL HEALTH & SAFETY RISK ASSESSMENT | 0                | 30-May-2025 03:58:47 PM |

Showing 1 to 10 of 20 entries

© 2025 | All Rights Reserved

File

NA

Inspection History

| Created On | Created By | Comment | Attachments |
|------------|------------|---------|-------------|
|------------|------------|---------|-------------|

|                      |                   |                        |                                                                                     |
|----------------------|-------------------|------------------------|-------------------------------------------------------------------------------------|
| 6/9/2025 11:53:42 AM | RajKumar Pativada | trying to upload audio |   |
| 6/9/2025 11:53:10 AM | RajKumar Pativada | trying to upload audio |  |
| 6/9/2025 11:52:38 AM | RajKumar Pativada | trying to upload audio |                                                                                     |