

Safety Alert Report

Organisation	TTK Beta - QA
Safety Alert UID	T/TTK/NMM/26/00015
Status	Assigned
DueDate	24-Feb-2026
Site	Coimbatore
User Type	Employee
Department	25 regression
Reported By	Rajkumar Pativada
Mobile Number	+91 9160948627
Others Involved	NA
Category	Near Misses
Unit / Location / Line	New Task
Description	This is Task Description
Image(s)	NA
Video(s)	NA
Audio(s)	NA
File(s)	NA
Created	23-Feb-2026 05:35:24 PM
Modified	23-Feb-2026 05:35:58 PM
	Question: Hazard Category Answer: Electrical
	Question: Severity Answer: High
	Question: Alert Group Answer: Health & Safety Alert
Investigation Checklist	Question: Root Cause Answer: No
	Question: Immediate Actions Required Answer: No
	Question: Permanent Corrective Action Answer: NO
Assigned To	Abhinav Srivastava
Resolved On	NA

Safety Alert History

23-Feb-2026 05:35:24 PM - Rajkumar Pativada: A new record was created: Uid set to 'T/TTK/NMM/26/00015' Site set to 'Coimbatore' Reported By set to 'Rajkumar Pativada' Category set to 'Near Misses' Department set to '25 regression'

23-Feb-2026 05:35:58 PM - Rajkumar Pativada: Safety Alert status updated to Assigned. Assigned To has been updated to 'Abhinav Srivastava' Due Date has been updated to '24-Feb-2026'

To view all Audio(s)/Video(s)/Photo(s)/File(s), Visit:

<https://www.incidentreporter365.com/#/incidents/view/387/47931>

This is a computer generated report. For queries please mail to contact@oqsha.com